

SURFACTANT FOR HERBICIDES

A NON-IONIC SURFACTANT FOR INCREASED COVERAGE AND
PENETRATION OF SPRAYS.

ACTIVE INGREDIENTS: Alkyl aryl polyoxyethylene glycol and other ethoxylated derivatives80.0%
Inert Ingredients:.....20.0%
TOTAL:.....100.0%

KEEP OUT OF REACH OF CHILDREN CAUTION

Harmful if swallowed. Avoid contact with eyes or skin. Wash thoroughly after handling. Do not wear contaminated clothing. Surfactant may cause increased skin absorption of pesticides. Follow all precautionary statements for pesticides when used with this product.

STATEMENT OF PRACTICAL TREATMENT

IF SWALLOWED: Induce vomiting by immediately giving two glasses of water and insert finger down throat. Get immediate medical attention. Do not attempt to induce vomiting or give anything by mouth to an unconscious person.

IF ON SKIN: Remove contaminated clothing and wash exposed skin with soap and water. If irritation develops, see an physician.

IF IN EYES: Flush eyes for 15 minutes with plenty of water, lifting upper and lower lids occasionally while flushing. Seek medical attention.

NON-WARRANTY: Seller makes no warranty, expressed or implied as to the use of this material. Buyer assumes all risk and liability for results obtained by use or handling of this material whether or not in accordance with the directions or claimed so to be.

DIRECTIONS FOR USE

Use this material with most herbicides in order to insure more uniform coverage by reducing the surface tensions of spray droplets. For most herbicides, such as: 2,4-D Amine, Trimec[®], Brush Killer, Reward[®] (Diquat[®]), Asulox[®], Image[®], and others.

For most Herbicides use: 1 teaspoonful per gallon

(1 -2 pints per 100 gallons of spray).

For Round-up[®], use: 1 Tablespoonful per gallon

(2 quarts per 100 gallons of spray).

For MSMA herbicides, use: 1 Tablespoonful per gallon

(1-2 quarts per 100 gallons of spray).



Southern Agricultural Insecticides, Inc.

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28607

revised 1998

CONDITIONS FOR USE

Compatible with most herbicides in order to provide more uniform coverage by reducing the surface tensions of spray

Compatible with herbicides, such as 2,4-D, Atrazine, Mecamec[®], Brush Killer, Diquat[®], Reward[®] (Diquat[®]), Sencor[®], Image[®], and Cobra[®].

Rate of use:
Use 1/2 ounce per 100 gallons of spray (1/4 ounce per gallon).

For use:
Use 1/2 ounce per 100 gallons of spray (1/4 ounce per gallon).

For herbicides, use:
Use 1/2 ounce per 100 gallons of spray (1/4 ounce per gallon).

SURFACTANT FOR HERBICIDES

A NON-IONIC SURFACTANT FOR INCREASED COVERAGE AND PENETRATION OF SPRAYS.

ACTIVE INGREDIENTS:

Alkyl aryl polyoxyethylene glycol and other ethoxylated derivatives	80.0%
Inert Ingredients	20.0%
TOTAL	100.0%

CAUTION

KEEP OUT OF REACH OF CHILDREN

Harmful if swallowed. Avoid contact with eyes or skin. Wash thoroughly after handling. Do not wear contaminated clothing. Surfactant may cause increased skin absorption of pesticides. Follow all precautionary statements for pesticides when used with this product.

Southern Agricultural Insecticides, Inc

Palmetto, FL 34220

Hendersonville, NC 28793

Boone, NC 28604

J2 Net Contents Liquid: 1 Gallon (3.785 liters)


**STATEMENT OF
FIRST AID TREATMENT**

INGESTED: Induce vomiting by giving two glasses of water and forcing down throat. Get immediate medical attention. Do not attempt to induce vomiting. Do not give anything by mouth to an unconscious person.

SKIN: Remove contaminated clothing. Wash exposed skin with soap and water. If irritation develops, see a doctor.

EYES: Flush eyes for 15 minutes with clean water, lifting upper and lower lids while flushing. Seek medical attention.

WARRANTY: Seller makes no warranty, expressed or implied as to the use of this material. Buyer assumes all risk and responsibility for results obtained by use of this material whether or not in accordance with the directions or claimed so.



51538 66754 8